



## SAFETY DATA SHEET

### CLEENOL EVOLUTION CONCENTRATED WINDOW & STAINLESS STEEL CLEANER

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** CLEENOL EVOLUTION CONCENTRATED WINDOW & STAINLESS STEEL CLEANER

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning agent.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Cleenol Group Ltd  
Neville House  
Beaumont Road  
Banbury  
Oxon OX16 1RB  
UK  
Tel : +44 (0)1295 251721  
Fax : +44 (0)1295 269561  
sales@cleenol.co.uk

##### 1.4. Emergency telephone number

**Emergency telephone** Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Not Classified  
**Health hazards** Skin Irrit. 2 - H315  
**Environmental hazards** Not Classified

##### 2.2. Label elements

###### Pictogram



**Signal word** Warning  
**Hazard statements** H315 Causes skin irritation.

## CLEENOL EVOLUTION CONCENTRATED WINDOW & STAINLESS STEEL CLEANER

|                                 |  |
|---------------------------------|--|
| <b>Precautionary statements</b> | P264 Wash contaminated skin thoroughly after handling.<br>P280 Wear protective gloves.<br>P302+P352 IF ON SKIN: Wash with plenty of water.<br>P321 Specific treatment (see medical advice on this label).<br>P332+P313 If skin irritation occurs: Get medical advice/ attention.<br>P362+P364 Take off contaminated clothing and wash it before reuse. |
|---------------------------------|--|

### 2.3. Other hazards

|                      |      |
|----------------------|------|
| <b>Other Hazards</b> | None |
|----------------------|------|

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

|                               |               |
|-------------------------------|---------------|
| <b>AMIDE POLYGLYCOL ETHER</b> | <b>10-30%</b> |
| CAS number: 85536-23-8        |               |

|                       |  |
|-----------------------|--|
| <b>Classification</b> | <b>Classification (67/548/EEC or 1999/45/EC)</b> |
| Skin Irrit. 2 - H315  | Xi;R38.  |

|                       |                      |
|-----------------------|----------------------|
| <b>BRONOPOL (INN)</b> | <b>&lt;1%</b>        |
| CAS number: 52-51-7   | EC number: 200-143-0 |
| M factor (Acute) = 10 |                      |

|                        |  |
|------------------------|--|
| <b>Classification</b>  | <b>Classification (67/548/EEC or 1999/45/EC)</b> |
| Acute Tox. 4 - H302    | Xn;R21/22 Xi;R37/38,R41 N;R50                    |
| Acute Tox. 4 - H312    |  |
| Skin Irrit. 2 - H315   |  |
| Eye Dam. 1 - H318      |  |
| STOT SE 3 - H335       |  |
| Aquatic Acute 1 - H400 |  |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.   |
| <b>Ingestion</b>    | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.   |
| <b>Skin contact</b> | Rinse immediately with plenty of water. Remove contaminated clothing.  |
| <b>Eye contact</b>  | Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse. |

### 4.2. Most important symptoms and effects, both acute and delayed

|                     |                                      |
|---------------------|--------------------------------------|
| <b>Inhalation</b>   | May be harmful if inhaled.           |
| <b>Ingestion</b>    | May be harmful if swallowed.         |
| <b>Skin contact</b> | May be harmful in contact with skin. |
| <b>Eye contact</b>  | May cause serious eye damage.        |

# CLEENOL EVOLUTION CONCENTRATED WINDOW & STAINLESS STEEL CLEANER

## 4.3. Indication of any immediate medical attention and special treatment needed

**Specific treatments** Seek medical attention if irritation or symptoms persist. Symptomatic treatment

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Burning may produce irritating, toxic and obnoxious fumes.  
Oxides of Carbon, Nitrogen and Sulphur.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

**Reference to other sections** See section 3,8 & 13 for further information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

**Storage class** Chemical storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**SHELF LIFE OF DILUTION**  
12 MONTHS

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

**Ingredient comments** WEL = Workplace Exposure Limits

### 8.2. Exposure controls

**Protective equipment**

## CLEENOL EVOLUTION CONCENTRATED WINDOW & STAINLESS STEEL CLEANER

|   |   |
|---|---|
| <b>Appropriate engineering controls</b> | Not relevant.   |
| <b>Eye/face protection</b>              | Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical splash goggles or face shield. |
| <b>Hand protection</b>                  | Hand protection not required.   |
| <b>Other skin and body protection</b>   | Provide eyewash station.  |
| <b>Hygiene measures</b>                 | Promptly remove non-impervious clothing that becomes contaminated. When using do not eat, drink or smoke.   |
| <b>Respiratory protection</b>           | No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.   |

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

|                         |   |
|-------------------------|---|
| <b>Appearance</b>       | Liquid.                                 |
| <b>Colour</b>           | Blue.                                   |
| <b>Odour</b>            | Mild.                                   |
| <b>pH</b>               | 6-8                                     |
| <b>Flash point</b>      | >55°C PMCC (Pensky-Martens closed cup). |
| <b>Relative density</b> | 1 @ 20°C                                |
| <b>Solubility(ies)</b>  | Soluble in water.                       |
| <b>Viscosity</b>        | 10,000 CP@ @ 20°C                       |

#### 9.2. Other information

|                          |       |
|--------------------------|-------|
| <b>Other information</b> | None. |
|--------------------------|-------|

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

|                   |  |
|-------------------|--|
| <b>Reactivity</b> | No test data specifically related to reactivity available for this product or its ingredients. |
|-------------------|--|

#### 10.2. Chemical stability

|                  |  |
|------------------|--|
| <b>Stability</b> | Stable at normal ambient temperatures. |
|------------------|--|

#### 10.3. Possibility of hazardous reactions

|   |             |
|---|-------------|
| <b>Possibility of hazardous reactions</b> | None known. |
|---|-------------|

#### 10.4. Conditions to avoid

|                            |   |
|----------------------------|---|
| <b>Conditions to avoid</b> | Avoid excessive heat for prolonged periods of time. |
|----------------------------|---|

#### 10.5. Incompatible materials

|                           |             |
|---------------------------|-------------|
| <b>Materials to avoid</b> | None known. |
|---------------------------|-------------|

#### 10.6. Hazardous decomposition products

# CLEENOL EVOLUTION CONCENTRATED WINDOW & STAINLESS STEEL CLEANER

**Hazardous decomposition products** Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** May cause sensitisation by skin contact.

**Eye contact** Risk of serious damage to eyes.

## SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

### 12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

### 12.2. Persistence and degradability

**Persistence and degradability** The product is biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

### 14.1. UN number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

### 14.6. Special precautions for user

## CLEENOL EVOLUTION CONCENTRATED WINDOW & STAINLESS STEEL CLEANER

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|                             |  |
|-----------------------------|--|
| <b>National regulations</b> | The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).  |
| <b>EU legislation</b>       | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).<br>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). |
| <b>Guidance</b>             | Workplace Exposure Limits EH40.<br>CHIP for everyone HSG228.<br>Safety Data Sheets for Substances and Preparations<br>Approved Classification and Labelling Guide (Sixth edition) L131.  |

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

### SECTION 16: Other information

|                                  |   |
|----------------------------------|---|
| <b>Revision date</b>             | 07/06/2017  |
| <b>Revision</b>                  | 10  |
| <b>Supersedes date</b>           | 05/05/2017  |
| <b>SDS number</b>                | N6 (Code No. EV8)   |
| <b>Risk phrases in full</b>      | Not classified.<br>R21/22 Harmful in contact with skin and if swallowed.<br>R37/38 Irritating to respiratory system and skin.<br>R38 Irritating to skin.<br>R41 Risk of serious damage to eyes.<br>R50 Very toxic to aquatic organisms. |
| <b>Hazard statements in full</b> | H302 Harmful if swallowed.<br>H312 Harmful in contact with skin.<br>H315 Causes skin irritation.<br>H318 Causes serious eye damage.<br>H335 May cause respiratory irritation.<br>H400 Very toxic to aquatic life.                       |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.